



BAM LIGHT GARDEN LIGHT CATALOGUE

High Quality , Long Lifetime
from our products feature...





LED Garden Light

Technology information

Product Code	JB-SL001A1	JB-SL001B1	JB-SL001C1
Lamp size	 150 × 100mm	 150 × 75mm	 130 × 85mm
Product height	4M-6M	3M-4M	3M-3.5M
Power	30W	20W	20W
Lamp material	6063 Aluminum material		
Color temp	3000K / 6000K		
Strip color temp	Blue / Green / Red / Pink / Warm white		
LED chips	PHILIPS / CREE / BRIGDELUX		
Lens angle	120°70°		
Efficiency	87%		
Protection levels	IP65		




JB-SL001B1



SL002C1 SL12J12 JB-SL12912



Technology information

Product Code	JB-SL002C1	JB-SL12612	JB-SL12912
Lamp size	 130 × 85mm	 230 × 80mm	 150 × 100mm
Product height	3M-4M	3M-4M	3M-4M
Power	30-40W	30-40W	30-40W
Lamp material	6063 Aluminum material		
Color temp	3000K / 6000K		
Strip color temp	Blue / Green / Red / Pink / Warm white		
LED chips	PHILIPS / CREE / BRIGDELUX		
Lens angle	120°70°		
Efficiency	87%		
Protection levels	IP65		



JB-GN001

Technology information

Product Code	JB-GN001A1	JB-GN001B1	JB-GN001C1	JB-GN001E1
Lamp size	 150 x 100mm	 150 x 75mm	 130 x 85mm	 150 x 60mm
Product height	4M-6M	3M-4M	3M-3.5M	3M-4M
Power	30W - 60W	20W / 30W	20W / 30W	20W / 30W
Lamp material	6063 Aluminum material			
Color temp	3000K / 6000K			
Strip color temp	Blue / Green / Red / Pink / Warm white			
LED chips	PHILIPS / CREE / BRIGDELUX			
Power supply	PHILIPS driver / MW driver from taiwan / MOSO®			
Lens angle	120°70°			
Efficiency	87%			
Input voltage	AC85-265V			
Protection levels	IP65			



JB-GN002A1



JB-GN002B1





JB-GN002A1








Technology Information

Product Code	JB-GN002A1	JB-GN002B1	JB-GN002C1	JB-GN002E1
Lamp size	 150 x 100mm	 150 x 75mm	 130 x 85mm	 150 x 60mm
Product height	4M-6M	3M-4M	3M-3.5M	3M-4M
Power	30W - 60W	20W / 30W	20W / 30W	20W / 30W
Lamp material	6063 Aluminum material			
Color temp	3000K / 6000K			
Strip color temp	Blue / Green / Red / Pink / Warm white			
LED chips	PHILIPS / CREE / BRIGDELUX			
Power supply	PHILIPS driver / MW driver from taiwan / MOSO®			
Lens angle	120°70°			
Efficiency	87%			
Input voltage	AC85-265V			
Protection levels	IP65			



Technology information				
Product Code	JB-GN002A2	JB-GN002C2	JB-GN002A3	JB-GN002C3
Lamp size	 150 x 100mm	 130 x 85mm	 150 x 100mm	 130 x 85mm
Product height	4M-6M	3M-3.5M	4M-6M	3M-3.5M
Power	30W+10W-60W+20W	20W-10W/30W+10W	2 x 30W-2 x 60W	2 x 20W/2 x 30W
Lamp material	6063 Aluminum material			
Color temp	3000K / 6000K			
Strip color temp	Blue / Green / Red / Pink / Warm white			
LED chips	PHILIPS / CREE / BRIGDELUX			
Power supply	PHILIPS driver / MW driver from taiwan / MOSO®			
Lens angle	120°70°			
Efficiency	87%			
Input voltage	AC85-265V			
Protection levels	IP65			



Technology information				
Product Code	JB-GN002A2	JB-GN002C2	JB-GN002A3	JB-GN002C3
Lamp size	 150 x 100mm	 130 x 85mm	 150 x 100mm	 130 x 85mm
Product height	4M-6M	3M-3.5M	4M-6M	3M-3.5M
Power	30W+10W-60W+20W	20W+10W/30W+10W	2 x 30W-2 x 60W	2 x 20W/2 x 30W
Lamp material	6063 Aluminum material			
Color temp	3000K / 6000K			
Strip color temp	Blue / Green / Red / Pink / Warm white			
LED chips	PHILIPS / CREE / BRIGDELUX			
Power supply	PHILIPS driver / MW driver from taiwan / MOSO®			
Lens angle	120°70°			
Efficiency	87%			
Input voltage	AC85-265V			
Protection levels	IP65			



LED GARDEN LIGHT SERIES

Technology information

Product Code	JB-GN00111	JB-GN126I1	JB-GN126I2
Lamp size			
	230 x 80mm	230 x 80mm	230 x 80mm
Product height	3M-4M	3M-4M	3M-4M
Power	30W	30W	30W
Lamp material	6063 Aluminum material		
Color temp	3000K / 6000K		
Strip color temp	Blue / Green / Red / Pink / Warm white		
LED chips	PHILIPS / CREE / BRIGDELUX		
Lens angle	120°70°		
Efficiency	87%		
Protection levels	IP65		



Technology information

Product Code	JB-GN010A1	JB-GN010C1
Lamp size		
	150 x 100mm	130 x 85mm
Product height	4M-6M	3M-4M
Power	2 x 30W - 2 x 60W	2 x 20W / 2 x 30W
Lamp material	6063 Aluminum material	
Color temp	3000K / 6000K	
Strip color temp	Blue / Green / Red / Pink / Warm white	
LED chips	PHILIPS / CREE / BRIGDELUX	
Power supply	PHILIPS driver / MW driver from taiwan / MOSO®	
Lens angle	120°70°	
Efficiency	87%	
Input voltage	AC85-265V	
Protection levels	IP65	




JB-GN003B1



JB-GN003EY2



JB-GN003E1

Product Code	JB-GN003A1	JB-GN003B1	JB-GN003C1	JB-GN003E1	JB-GN003EY2
Lamp size					
Product height	4M-6M	3M-4M	3M-4M	3M-4M	3M-4M
Power	30W+10W 60W+20W	20W+10W / 30W+10W		20W-40W	20W+7W 30W+7W
Lamp material	6063 Aluminum material				
Color temp.	3000K / 6000K				
Strip color temp.	Blue / Green / Red / Pink / Warm white				
LED chips	PHILIPS / CREE / BRIGDELUX				
Power supply	PHILIPS driver / MW driver from taiwan / MOSO®				
Lens angle	120°/70°				
Efficiency	87%				
Input voltage	AC85-265V				






Technology information

Product Code	JB-GN005A1	JB-GN005C1	JB-GN12911
Lamp size	 150 × 100mm	 130 × 85mm	 200 × 100mm
Product height	4M-6M	3M-3.5M	3M-4M
Power	40W	40W	36W
Lamp material	6063 Aluminum material		
Color temp	3000K / 6000K		
Strip color temp	Blue / Green / Red / Pink / Warm white		
LED chips	PHILIPS / CREE / BRIGDELUX		
Power supply	PHILIPS driver / MW driver from taiwan / MOSO®		
Lens angle	120°70°		
Efficiency	87%		
Input voltage	AC85-265V		
Protection levels	IP65		





Technology information


Product Code	JB-GN004A1	JB-GN004C1
Lamp size	 150 × 100mm	 130 × 85mm
Product height	4M-6M	3M-3.5M
Power	30W-40W	30W-40W
Lamp material	6063 Aluminum material	
Color temp	3000K / 6000K	
Strip color temp	Blue / Green / Red / Pink / Warm white	
LED chips	PHILIPS / CREE / BRIGDELUX	
Power supply	PHILIPS driver / MW driver from taiwan / MOSO®	
Lens angle	120°70°	
Efficiency	87%	
Input voltage	AC85-265V	
Protection levels	IP65	








Technology information


Product Code	JB-SL001A1	JB-SL001B1	JB-SL001C1
Lamp size	 150 × 100mm	 150 × 75mm	 130 × 85mm
Product height	4M-6M	3M-4M	3M-3.5M
Power	30W	20W	20W
Lamp material	6063 Aluminum material		
Color temp	3000K / 6000K		
Strip color temp	Blue / Green / Red / Pink / Warm white		
LED chips	PHILIPS / CREE / BRIGDELUX		
Lens angle	120°70°		
Efficiency	87%		
Protection levels	IP65		





Technology information	
Product Code	JB-GN006F1
Lamp size	 200 x 100mm
Product height	3M-4M
Power	30W
Lamp material	6063 Aluminum material
Color temp	3000K / 6000K
Strip color temp	Blue / Green / Red / Pink / Warm white
LED chips	PHILIPS / CREE / BRIGDELUX
Power supply	PHILIPS driver / MW driver from taiwan / MOSO®
Lens angle	120°70°
Efficiency	87%
Input voltage	AC85-265V
Protection levels	IP65




Technology information				
Product Code	JB-GN007G1	JB-GN007G2	JB-GN007H1	JB-GN007H2
Lamp size	 120 x 120mm	 120 x 120mm	 100 x 100mm	 100 x 100mm
Product height	4M-6M	4M-6M	3M-4M	3M-4M
Power	30W - 60W	30W - 60W	20W / 30W	20W / 30W
Lamp material	6063 Aluminum material			
Color temp	3000K / 6000K			
Strip color temp	Blue / Green / Red / Pink / Warm white			
LED chips	PHILIPS / CREE / BRIGDELUX			
Power supply	PHILIPS driver / MW driver from taiwan / MOSO®			
Lens angle	120°70°			
Efficiency	87%			
Input voltage	AC85-265V			
Protection levels	IP65			





Technology information

Product Code	JB-GN008G1	JB-GN008H1
Lamp size	 120 x 120mm	 100 x 100mm
Product height	4M-6M	3M-4M
Power	30W - 60W	20W / 30W
Lamp material	6063 Aluminum material	
Color temp	3000K / 6000K	
Strip color temp	Blue / Green / Red / Pink / Warm white	
LED chips	PHILIPS / CREE / BRIGDELUX	
Power supply	PHILIPS driver / MW driver from taiwan / MOSO [®]	
Lens angle	120°70°	
Efficiency	87%	
Input voltage	AC85-265V	
Protection levels	IP65	




Technology information

Product Code	JB-GN009D1
Lamp size	 130 x 130 x 130mm
Product height	3M-4M
Power	30W
Lamp material	6063 Aluminum material
Color temp	3000K / 6000K
Strip color temp	Blue / Green / Red / Pink / Warm white
LED chips	PHILIPS / CREE / BRIGDELUX
Power supply	PHILIPS driver / MW driver from taiwan / MOSO [®]
Lens angle	120°70°
Efficiency	87%
Input voltage	AC85-265V
Protection levels	IP65



Technology information

Product Code	JB-GN117D1	JB-GN118H1
Lamp size	 130 x 130 x 130mm	 120 x 120mm
Product height	3M-4M	3M-4M
Power	30W	48W
Lamp material	6063 Aluminum material	
Color temp	3000K / 6000K	
Strip color temp	Blue / Green / Red / Pink / Warm white	
LED chips	PHILIPS / CREE / BRIGDELUX	
Power supply	PHILIPS driver / MW driver from taiwan / MOSO [®]	
Lens angle	120°70°	
Efficiency	87%	
Input voltage	AC85-265V	
Protection levels	IP65	



Technology information





Product Code	JB-GN117D1	JB-GN118H1
Lamp size	 130 x 130 x 130mm	 120 x 120mm
Product height	3M-4M	3M-4M
Power	30W	48W
Lamp material	6063 Aluminum material	
Color temp	3000K / 6000K	
Strip color temp	Blue / Green / Red / Pink / Warm white	
LED chips	PHILIPS / CREE / BRIGDELUX	
Power supply	PHILIPS driver / MW driver from taiwan / MOSO [®]	
Lens angle	120°70°	
Efficiency	87%	
Input voltage	AC85-265V	
Protection levels	IP65	



JB-GN119C1




Technology information




Product Code	JB-GN119A2	JB-GN119C2	JB-GN119A1	JB-GN119C1
Lamp size	 150 x 100mm	 130 x 85mm	 150 x 100mm	 130 x 85mm
Product height	3M-4M	3M-4M	3M-4M	3M-4M
Power	20W / 30W	20W / 30W	20W / 30W	20W / 30W
Lamp material	6063 Aluminum material			
Color temp	3000K / 6000K			
Strip color temp	Blue / Green / Red / Pink / Warm white			
LED chips	PHILIPS / CREE / BRIGDELUX			
Power supply	PHILIPS driver / MW driver from taiwan / MOSO®			
Lens angle	120°70°			
Efficiency	87%			
Input voltage	AC85-265V			
Protection levels	IP65			




JB-GN119A2




Technology information

Product Code	JB-GN119A2	JB-GN119C2	JB-GN119A1	JB-GN119C1
Lamp size	 150 x 100mm	 130 x 85mm	 150 x 100mm	 130 x 85mm
Product height	3M-4M	3M-4M	3M-4M	3M-4M
Power	20W / 30W	20W / 30W	20W / 30W	20W / 30W
Lamp material	6063 Aluminum material			
Color temp	3000K / 6000K			
Strip color temp	Blue / Green / Red / Pink / Warm white			
LED chips	PHILIPS / CREE / BRIGDELUX			
Power supply	PHILIPS driver / MW driver from taiwan / MOSO®			
Lens angle	120°70°			
Efficiency	87%			
Input voltage	AC85-265V			
Protection levels	IP65			



Technology information

Product Code	JB-GN128J1	JB-GN128J2
Lamp size	 200 x 200mm	 200 x 200mm
Product height	3M-6M	3M-6M
Power	20W - 50W	20W / 60W
Lamp material	6063 Aluminum material	
Color temp	3000K / 6000K	
Strip color temp	Blue / Green / Red / Pink / Warm white	
LED chips	PHILIPS / CREE / BRIGDELUX	
Power supply	PHILIPS driver / MW driver from taiwan / MOSO [®]	
Lens angle	120°70°	
Efficiency	87%	
Input voltage	AC85-265V	
Protection levels	IP65	



Technology information


Product Code	JB-GN128J1	JB-GN128J2
Lamp size	 200 x 200mm	 200 x 200mm
Product height	3M-6M	3M-6M
Power	20W - 50W	20W / 60W
Lamp material	6063 Aluminum material	
Color temp	3000K / 6000K	
Strip color temp	Blue / Green / Red / Pink / Warm white	
LED chips	PHILIPS / CREE / BRIGDELUX	
Power supply	PHILIPS driver / MW driver from taiwan / MOSO [®]	
Lens angle	120°70°	
Efficiency	87%	
Input voltage	AC85-265V	
Protection levels	IP65	




JB-GN127B1



Technology information

Product Code	JB-GN127B1
Lamp size	 300 x 150mm
Product height	3M-6M
Power	20W - 50W
Lamp material	6063 Aluminum material
Color temp	3000K / 6000K
Strip color temp	Blue / Green / Red / Pink / Warm white
LED chips	PHILIPS / CREE / BRIGDELUX
Power supply	PHILIPS driver / MW driver from taiwan / MOSO®
Lens angle	120°70°
Efficiency	87%
Input voltage	AC85-265V
Protection levels	IP65



JB-GN8011H1



Technology information

Product Code	JB-GN8011G1	JB-GN8011H1
Lamp size	 120 x 120mm	 100 x 100mm
Product height	3M-6M	3M-4M
Power	40W - 80W	40W / 60W
Lamp material	6063 Aluminum material	
Color temp	3000K / 6000K	
Strip color temp	Blue / Green / Red / Pink / Warm white	
LED chips	PHILIPS / CREE / BRIGDELUX	
Power supply	PHILIPS driver / MW driver from taiwan / MOSO®	
Lens angle	120°70°	
Efficiency	87%	
Input voltage	AC85-265V	
Protection levels	IP65	



JB-GN103Z3



Technology information

Product Code	JB-GN103Z3		JB-GN103Z25	
Lamp size				
	Φ114mm+Φ76mm	Φ140mm+Φ89mm	Φ114mm+Φ76mm	Φ140mm+Φ89mm
Product height	3M-3.5M	3.5M-4M	3M-3.5M	3.5M-4M
Power	30W		30W	
Lamp material	6063 Aluminum material			
Color temp	3000K / 6000K			
Strip color temp	Blue / Green / Red / Pink / Warm white			
LED chips	PHILIPS / CREE / BRIGDELUX			
Power supply	PHILIPS driver / MW driver from taiwan / MOSO®			
Lens angle	120°70°			
Efficiency	87%			
Input voltage	AC85-265V			
Protection levels	IP65			



JB-GN103Z25



Technology information





Product Code	JB-GN103Z3		JB-GN103Z25	
Lamp size				
	Φ114mm+Φ76mm	Φ140mm+Φ89mm	Φ114mm+Φ76mm	Φ140mm+Φ89mm
Product height	3M-3.5M	3.5M-4M	3M-3.5M	3.5M-4M
Power	30W		30W	
Lamp material	6063 Aluminum material			
Color temp	3000K / 6000K			
Strip color temp	Blue / Green / Red / Pink / Warm white			
LED chips	PHILIPS / CREE / BRIGDELUX			
Power supply	PHILIPS driver / MW driver from taiwan / MOSO®			
Lens angle	120°70°			
Efficiency	87%			
Input voltage	AC85-265V			
Protection levels	IP65			



JB-GN103Z4




Technology information





Product Code	JB-GN103Z4		JB-GN103Z5	
Lamp size	 Φ114mm+Φ76mm	 Φ140mm+Φ89mm	 Φ114mm+Φ76mm	 Φ140mm+Φ89mm
Product height	3M-3.5M	3.5M-4M	3M-3.5M	3.5M-4M
Power	30W		30W	
Lamp material	6063 Aluminum material			
Color temp	3000K / 6000K			
Strip color temp	Blue / Green / Red / Pink / Warm white			
LED chips	PHILIPS / CREE / BRIGDELUX			
Power supply	PHILIPS driver / MW driver from taiwan / MOSO®			
Lens angle	120°70°			
Efficiency	87%			
Input voltage	AC85-265V			
Protection levels	IP65			




JB-GN103Z5



Technology information

Product Code	JB-GN103Z4		JB-GN103Z5	
Lamp size	 Φ114mm+Φ76mm	 Φ140mm+Φ89mm	 Φ114mm+Φ76mm	 Φ140mm+Φ89mm
Product height	3M-3.5M	3.5M-4M	3M-3.5M	3.5M-4M
Power	30W		30W	
Lamp material	6063 Aluminum material			
Color temp	3000K / 6000K			
Strip color temp	Blue / Green / Red / Pink / Warm white			
LED chips	PHILIPS / CREE / BRIGDELUX			
Power supply	PHILIPS driver / MW driver from taiwan / MOSO®			
Lens angle	120°70°			
Efficiency	87%			
Input voltage	AC85-265V			
Protection levels	IP65			



JB-GN103Z10



Technology information

Product Code	JB-GN103Z10	
Lamp size	 Φ114mm+Φ78mm	 Φ140mm+Φ89mm
Product height	3M-3.5M	3.5M-4M
Power	30W + 3W	
Lamp material	6063 Aluminum material	
Color temp	3000K / 6000K	
Strip color temp	Blue / Green / Red / Pink / Warm white	
LED chips	PHILIPS / CREE / BRIGDELUX	
Power supply	PHILIPS driver / MW driver from taiwan / MOSO®	
Lens angle	120°70°	
Efficiency	87%	
Input voltage	AC85-265V	
Protection levels	IP65	



JB-GN103Z11



Technology information





Product Code	JB-GN103Z21		JB-GN103Z11	
Lamp size	 Φ114mm+Φ78mm	 Φ140mm+Φ89mm	 Φ114mm+Φ78mm	 Φ140mm+Φ89mm
Product height	3M-3.5M	3.5M-4M	3M-3.5M	3.5M-4M
Power	30W		36W	
Lamp material	6063 Aluminum material			
Color temp	3000K / 6000K			
Strip color temp	Blue / Green / Red / Pink / Warm white			
LED chips	PHILIPS / CREE / BRIGDELUX			
Power supply	PHILIPS driver / MW driver from taiwan / MOSO®			
Lens angle	120°70°			
Efficiency	87%			
Input voltage	AC85-265V			
Protection levels	IP65			





JB-GN103Z21




Technology information

Product Code	JB-GN103Z21		JB-GN103Z11	
Lamp size	 Φ114mm+Φ76mm	 Φ140mm+Φ89mm	 Φ114mm+Φ76mm	 Φ140mm+Φ89mm
Product height	3M-3.5M	3.5M-4M	3M-3.5M	3.5M-4M
Power	30W		36W	
Lamp material	6063 Aluminum material			
Color temp	3000K / 6000K			
Strip color temp	Blue / Green / Red / Pink / Warm white			
LED chips	PHILIPS / CREE / BRIGDELUX			
Power supply	PHILIPS driver / MW driver from taiwan / MOSO®			
Lens angle	120°70°			
Efficiency	87%			
Input voltage	AC85-265V			
Protection levels	IP65			




JB-GN103Z23


Technology information

Product Code	JB-GN103Z23	
Lamp size	 Φ 114mm+ Φ 76mm	 Φ 140mm+ Φ 89mm
Product height	3M-3.5M	3.5M-4M
Power	60W	
Lamp material	6063 Aluminum material	
Color temp	3000K / 6000K	
Strip color temp	Blue / Green / Red / Pink / Warm white	
LED chips	PHILIPS / CREE / BRIGDELUX	
Power supply	PHILIPS driver / MW driver from taiwan / MOSO®	
Lens angle	120°70°	
Efficiency	87%	
Input voltage	AC85-265V	
Protection levels	IP65	



JB-GG021R6



Technology information

Product Code	JB-GG021R1	JB-GG021R6
Lamp size	 Φ 76mm	 Φ 76mm
Product height	80CM	80CM
Power	5W	5W
Lamp material	6063 Aluminum material	
Color temp	3000K / 6000K	
Strip color temp	Blue / Green / Red / Pink / Warm white	
LED chips	CREE	
Power supply	JUNBO driver	
Efficiency	87%	
Input voltage	AC85-265V	
Protection levels	IP65	



JB-GG021R1







Technology information


Product Code	JB-GG021R1	JB-GG021R6
Lamp size	 Φ 76mm	 Φ 76mm
Product height	80CM	80CM
Power	5W	5W
Lamp material	6063 Aluminum material	
Color temp	3000K / 6000K	
Strip color temp	Blue / Green / Red / Pink / Warm white	
LED chips	CREE	
Power supply	JUNBO driver	
Efficiency	87%	
Input voltage	AC85-265V	
Protection levels	IP65	




Technology information

Product Code	JB-GG025X2	JB-GG025X5	JB-GG021Y3
Lamp size	 Ø 89mm	 Ø 89mm	 Ø 114mm
Product height	80CM	80CM	80CM
Power	7W	7W	9W
Lamp material	6063 Aluminum material		
Color temp	3000K / 6000K		
Strip color temp	Blue / Green / Red / Pink / Warm white		
LED chips	CREE		
Power supply	JUNBO driver		
Efficiency	87%		
Input voltage	AC85-265V		
Protection levels	IP65		






JB-GG029C1





JB-GG030G1



JB-GG023I2



JB-GG031D1



Technology information

Product Code	JB-GG029C1	JB-GG030G1	JB-GG023I2	JB-GG031D1
Lamp size	 130 x 85mm	 120 x 120mm	 200 x 80mm	 130 x 130 x 130mm
Product height	80CM	80CM	80CM	80CM
Power	5W	5W	10W	5W
Lamp material	6063 Aluminum material			
Color temp	3000K / 6000K			
Strip color temp	Blue / Green / Red / Pink / Warm white			
LED chips	CREE			
Power supply	JUNBO driver			
Efficiency	87%			
Input voltage	AC85-265V			
Protection levels	IP65			




JB-GG026G4






JB-GG028C2



JB-GG027B2



Technology information

Product Code	JB-GG026G4	JB-GG028C2	JB-GG027B2
Lamp size	 120 × 120mm	 130 × 85mm	 150 × 75mm
Product height	80CM	80CM	80CM
Power	12W	8W	8W
Lamp material	6063 Aluminum material		
Color temp	3000K / 6000K		
Strip color temp	Blue / Green / Red / Pink / Warm white		
LED chips	BRIGDELUX		
Power supply	JUNBO driver		
Efficiency	87%		
Input voltage	AC85-265V		
Protection levels	IP65		

Technology information



JB-GG017A1

Product Code	JB-GG017A1	JB-GG019A1
Lamp size	 150*100mm	 150*100mm
Product height	80CM	80CM
Power	6W	12W
Lamp material	6063 Aluminum material	
Color temp	3000K / 6000K	
Strip color temp	Blue / Green / Red / Pink / Warm white	
LED chips	BRIGDELUX	
Power supply	JUNBO driver	
Efficiency	87%	
Input voltage	AC85-265V	
Protection levels	IP65	

Technology information



JB-GG019A1

Product Code	JB-GG017A1	JB-GG019A1
Lamp size	 150*100mm	 150*100mm
Product height	80CM	80CM
Power	6W	12W
Lamp material	6063 Aluminum material	
Color temp	3000K / 6000K	
Strip color temp	Blue / Green / Red / Pink / Warm white	
LED chips	BRIGDELUX	
Power supply	JUNBO driver	
Efficiency	87%	
Input voltage	AC85-265V	
Protection levels	IP65	



JB-GG025J1



JB-GG025J2

Technology information

Product Code	JB-GG025J1	JB-GG025J2	JB-GG025J3
Lamp size	 200*200mm	 200*200mm	 200*200mm
Product height	80CM	80CM	80CM
Power	10W	10W	10W
Lamp material	6063 Aluminum material		
Color temp	3000K / 6000K		
Strip color temp	Blue / Green / Red / Pink / Warm white		
LED chips	PHILIPS / BRIGDELUX		
Power supply	JUNBO driver		
Efficiency	87%		
Input voltage	AC85-265V		
Protection levels	IP65		



JB-GG025J3






JB-GG0231






JB-GG002G1





JB-GG022B1






Technology information

Product Code	JB-GG00231	JB-GG002G1	JB-022B1
Lamp size	 180*80mm	 120*120mm	 150*75mm
Product height	80CM	80CM	80CM
Power	3W	9W	10W
Lamp material	6063 Aluminum material		
Color temp	3000K / 6000K		
Strip color temp	Blue / Green / Red / Pink / Warm white		
LED chips	PHILIPS / BRIGDELUX		
Power supply	JUNBO driver		
Efficiency	87%		
Input voltage	AC85-265V		
Protection levels	IP65		


JB-GG029C1

JB-GG030G1

JB-GG023I2

JB-GG031D1
Technology information

Product Code	JB-GG029C1	JB-GG030G1	JB-GG023I2	JB-GG031D1
Lamp size	 130 × 85mm	 120 × 120mm	 200 × 80mm	 130 × 130 × 130mm
Product height	80CM	80CM	80CM	80CM
Power	5W	5W	10W	5W
Lamp material	6063 Aluminum material			
Color temp	3000K / 6000K			
Strip color temp	Blue / Green / Red / Pink / Warm white			
LED chips	CREE			
Power supply	JUNBO driver			
Efficiency	87%			
Input voltage	AC85-265V			
Protection levels	IP65			



JB-W205Y3D



JB-W202D3D





JB-W205Y3



JB-W202D3


Technology information

Product Code	JB-W205Y3	JB-W205Y3D	JB-W202D3	JB-W202D3D
Lamp size	 Φ 114mm	 Φ 114mm	 130*130*130mm	 130*130*130mm
Power	COB 7W	2*COB 7W	COB 10W	2*COB 10W
Lamp material	6063 Aluminum material			
Color temp	3000K / 6000K			
Strip color temp	Blue / Green / Red / Pink / Warm white			
LED chips	BRIGDELUX			
Power supply	PHILIPS driver / MW driver from taiwan			
Efficiency	87%			
Input voltage	AC85-265V			
Protection levels	IP65			






JB-W207C2D



JB-W206A3D



JB-W207C2



JB-W206A3

Technology information

Product Code	JB-W207C2	JB-W207C2D	JB-W206A3	JB-W206A3D
Lamp size				
	130*85mm	130*85mm	150*100mm	150*100mm
Power	6W	2*6W	COB 10W	2*COB 10W
Lamp material	6063 Aluminum material			
Color temp	3000K / 6000K			
Strip color temp	Blue / Green / Red / Pink / Warm white			
LED chips	BRIGDELUX			
Power supply	PHILIPS driver / MW driver from taiwan			
Efficiency	87%			
Input voltage	AC85-265V			
Protection levels	IP65			





Website : www.bamlight.com

E-mail : erbil@bamlight.com

Phone : +964 (0) 751 112 6400

+964 (0) 750 600 8111

Address : 78 , BAM Light Building ,

Baxyari Street , Erbil , Iraq .